

INDEX

- Acanthopanax giraldii*, 210, 227
 — *gracilistylus*, 210, 227
 — *henryi*, 210, 227
 — *innovans*, 210, 227
 — *koreanus*, 210, 227
 — *leucorrhizus*, 210, 227
 — *senticosus*, 210, 227
 — *sessiliflorus*, 210, 227
 — *setchuanensis*, 210
 — *spinosus*, 210, 227
 — *trifoliatus*, 210, 227
- Acer*, Shoot Growth and Heterophyllly in, 240
- Acer*, 177, 197
 — sect. *Acer*, 258, 260
 — sect. *Arguta*, 258, 260
 — sect. *Campestria*, 258, 259
 — sect. *Macrantha*, 258, 259, 265
 — sect. *Palmata*, 258
 — sect. *Platanoidea*, 258, 265
 — sect. *Rubra*, 258
 — sect. *Saccharina*, 258
 — sect. *Spicata*, 262
 — *barbinerve*, 260
 — *buergerianum*, 261, 262
 — *campestre*, 259
 — *capillipes*, 259
 — *caudatum*, 258
 — *creticum*, 241
 — *ginnala*, 261, 262
 — *grosseri*, 259
 — *hyrcanum*, 259
 — *macrophyllum*, 256
 — *miyabei*, 258
 — *monspessulanum*, 259
 — *opalus*, 259
 — *orientale*, 241, 259
 — *palmatum*, 264
 — *pensylvanicum*, 241–248, 250, 254, 255, 259
 — *platanoides*, 246, 253, 258, 264
 — *pseudoplatus*, 240, 246, 253, 261–264
 — *pycnanthum*, 258
 — *rubrum*, 241, 242, 244, 249, 252, 257, 260, 261
 — *rufinerve*, 259
 — *saccharinum*, 258, 264
 — *saccharum*, 246, 258, 262
 — *spicatum*, 258
 — *tataricum*, 261, 262
 — *tegmentosum*, 259
- Achanthes hauckiana*, 93
 — *microcephala*, 93
- Acotrema*, 319, 320, 322–327, 329, 330
- Acotrema appendiculatum*, 321
 — *arnottianum*, 321
 — *costatum*, 320–325, 327, 328
 — *dissectum*, 321
 — *gardneri*, 321
 — *lanceolatum*, 321
 — *lyratum*, 321
 — *thwaitesii*, 321
- Actinocarya*, 353, 355
 — *acaulis*, 354, 355
 — *tibetica*, 353, 355
- Adelanthaceae*, 450
- Adelanthus decipiens*, 450
- Adelocaryum flexuosum*, 352
 — *schlagintweitii*, 352
- Adhatoda*, 636
 — *betonica*, 636
 — *carthaginensis*, 641
 — *organoides*, 641
 — *vasica*, 640
 — *zeylanica*, 637, 640
- Adicea*, 55
- Adike*, 55
- Aeginetia*, 408
- Aeginetiaceae*, 408
- Agavaceae*, 476
- Alchornea latifolia*, 437
- Alectra*, 614, 640
 — *brasiliensis*, 635
 — *fluminensis*, 635
 — *melampyroides*, 635
- Alloplectus ambiguus*, 591
- Alobiella husnoti*, 449
- Alobiellaceae*, 449
- Alobiellopsis dominicensis*, 437, 448
- Alvaradoa jamaicensis*, 366
- Amborella*, 285, 290
- Amborellaceae*, 32
- Amentiferae*, 160
- Ampelocera*, 524, 534, 539, 550, 557, 559
 — *cubenis*, 574, 581
 — *edentula*, 574, 581
 — *glabra*, 574
 — *hottlei*, 574, 581
- Amphiscopia*, 636
- Amphora ovalis*, 104
- Anabaena*, 93
 — *anomala*, 96
 — *circinalis*, 102, 106
 — *laxa*, 96
 — *oryzae*, 96
 — *oscillarioides*, 96
- Anacardiaceae*, 366
- Ananthacorus angustifolius*, 366

- Anchusa*, 668
 — *asperrima*, 490
 — *azurea*, 668
 — *hispida*, 679
 — *hispidissima*, 490
 — *italica*, 668
 — *officinalis*, 668
 — *orientalis*, 669
 — *ovata*, 668, 669
 — *paniculata*, 668
 — *petiolata*, 350
 — *polygama*, 490
 — *zeylanica*, 344
Andrographis echioides, 637
Andropogon bicornis, 588
Anemone rivularis, 35
Anemopsis, 479–481
Anisadenia, 650
Anisanthera ciliata, 666
Ankistodesmus falcatus, 97
Annona, 12, 34, 35
 — *cherimolia*, 36
 — *reticulata*, 36
 — *squamosa*, 36
Annonaceae, 12, 15, 32, 34–39, 285, 286, 366
Anomoeoneis costata, 99
Anoplolejeunea conferta, 451
Anthacanthus, 645
 — *acicularis*, 645
Anthurium cordatum, 366
 — *dominicense*, 588
Aphananthe, 533, 542, 553, 557, 574
 — *aspera*, 574, 581
 — *philippensis*, 574, 581
Aphanocapsa biformis, 95, 102
 — *roseana*, 95
 — *grevillei*, 103
Aphanothecae clathrata, 95, 102
 — *microscopica*, 95
 — *saxicola*, 95
Apiopetalum, 234
Apocynaceae, 614
Aquifoliaceae, 589
Araceae, 366, 588
Arachniopsis coactilis, 448
Aralia elata, 210, 227
 — *spinosa*, 210, 227
Araliaceae?, What is the Primitive Floral Structure of, 205
Archilejeunea viridissima, 437, 451
Ardisia luquillensis, 590
Arnebia, 359
 — *argyrea*, 489
 — *asperrima*, 490
 — *benthamii*, 360, 361, 363
 — *bungei*, 496
 — *cornuta*, 498, 500
Arnebia decumbens, 360, 498, 499
 — *euchroma*, 360, 486, 488
 — — *subsp. caespitosa*, 486
 — — *subsp. euchroma*, 487
 — — *var. grandis*, 487, 488
 — *fimbriopetala*, 360, 495
 — — *var. bungei*, 496
 — *flavescens*, 497
 — *grandiflora*, 360, 500
 — *griffithii*, 361, 491, 492
 — *guttata*, 360, 493
 — — *var. guttata*, 494
 — — *var. thomsonii*, 495
 — *hispidissima*, 360, 489, 491
 — *inconspicua*, 360, 488
 — *linearifolia*, 360, 497
 — *lutea*, 490
 — *nobilis*, 363
 — *orientalis*, 498
 — *perennis*, 486
 — *purpurascens*, 490
 — *simulatrix*, 360, 502
 — *speciosa*, 360, 362, 363
 — *tetragastigma*, 359
 — *thomsonii*, 495
 — *tibetana*, 493
 — *viviani*, 498
 — *waziristanica*, 360, 501
Arnebiola migiurtina, 490
Arrhostoxylum acutangulum, 646
Artabotrys, 12, 14
 — *odoratissimus*, 14
Arthrophyllum ahernianum, 211, 228
 — *diversifolium*, 228
Arthrostylidium sarmentosum, 588
Asclepiadaceae, 80
 Asia and in Cultivation, The Genus *Neilia* in Mainland, 137
Asimina, 12, 14, 36
 — *triloba*, 14, 36
Asperugo, 118
 — *procumbens*, 118
Astrotricha floccosa, 211, 228
Aulosira fritschii, 93
 — *prolifica*, 93, 102, 103, 106
Aureolaria, 408
Austrobaileya, 3, 285, 290
Austrobaileyaceae, 3, 32, 34, 36, 285, 290
Bacillariophyta, 87, 92, 93, 102, 104–106
Balanopaceae, 160
Balsaminaceae, 273
Barbeya, 524
Barbeyaceae, 43
Bayberry, 309
Bazzania bidens, 446
 — *breutelianiana*, 446
 — *cubensis*, 441, 447

- Bazzania eggersiana**, 438, 447
 — *gracilis*, 441, 447
 — *hookeri*, 441, 447
 — *longa*, 440, 447
 — *longistipula*, 447
 — *roraimensis*, 447
 — *schwaneckiana*, 438, 447
 — *stolonifera*, 441, 447
Beech, 168
Beechdrops, 414, 416, 419
Beech Family, 159
Begonia decandra, 590
Begoniaceae, 590
Beilschmiedia, 27
Belliolum, 6
Beloperone, 636, 638
 — *guttata*, 640
 — *lamarckiana*, 644
 — *nemorosa*, 642
Berberidaceae, 37
Bernardia, 366
Betula, 241
Betulaceae, 160, 306
Beureria velutina, 622
 — — var. *B. venosa*, 622
BHANDARI, N. N. Embryology of the Magnoliales and Comments on their Relationships, 1-39; 285-304
Biddulphia alternans, 102, 106
 — *favus*, 93
Bignoniaceae, 591
Bladdernut, 199
Bladdernut Family, 196
Blechnum occidentale, 438
Boehmeria, 59, 62
 — subg. *Duretia*, 60, 62
Boerlagiodendron novo-guineense, 211, 226
 — *tetrandrum*, 211, 226
Boninofatsia, 234
Bonnierella, 234
Boraginaceae, 366, 614, 619, 626
Boraginaceae of West Pakistan and Kashmir, A Revision of, 110-136, 334-363, 486-522, 614-690
Boraginella, 515
 — *africana*, 519
 — *incana*, 518
 — *mollis*, 518
 — *stricta*, 518
Borago crassifolia, 667
 — *macranthera*, 666
Borraginoides, 515
 — *aculeata*, 519
 — *africana*, 519
 — *sagittata*, 516
Borago indica, 516
 — *spinulosa*, 516
Borago verrucosa, 519
Borreria brachysepala, 438
Bourreria, 619-622
 — *arborea foliis ovatis alternis*, 622
 — *baccata*, 621, 622
 — *ovata*, 621
 — *rigida*, 621, 622
 — *succulenta*, 621, 622
 — *tomentosa*, 621
Brachionidium ciliolatum, 588
Brass, Leonard J. (1900-1971), An Appreciation, 695
Brassaiopsis hispida, 211, 227
Bredemeyera, 268
Bromeliaceae, 366, 367, 588
Broomrape, 404, 424
Bubbia, 6, 287
Bursera, 366
Burseraceae, 366
Byrsonima spicata, 439
Caccinia, 666
 — *celsii*, 667
 — *glauca*, 666, 667
 — *macranthera*, 666, 667
 — — var. *crassifolia*, 667
 — — var. *eu-macranthera*, 667
 — — var. *macranthera*, 667
 — *russellii*, 666
Calliandra, 69, 77, 79, 80
 — *boliviana*, 83, 84
 — *haematocephala*, 69, 70, 74, 75, 77, 78, 80, 81, 83, 84
 — *haematocephala*: History, Morphology, and Taxonomy, 69
 — *inaequilatera*, 69, 70, 72, 74-77, 80, 83, 84
 — *pittieri*, 81
Calliaspidia, 638, 639
 — *guttata*, 640
Calothrix epiphytica, 96
 — *weberi*, 96
Calycanthaceae, 23, 32, 37
Calycanthus, 23, 25, 290
 — *occidentalis*, 25
Calycogonium squamulosum, 439, 590
Calypogeia caespitosa, 438, 447
 — *cellulosa*, 443, 447
 — *crenulata*, 447
 — *cyclostipa*, 447
 — *elliotii*, 440, 447
 — *laxa*, 448
 — *lophocoleoides*, 442, 447
 — *peruviana*, 443, 447
Calypogeiacae, 447
Calyptanthes acutissima, 366
 — *krugii*, 590
Campanulaceae, 591

- Camptylonema indicum*, 97
Campylodiscus echeneis, 102
Canacomyrica, 306
Cananga, 12, 34
 — *odorata*, 14, 34, 35
Cannabaceae, 43
Canella alba, 16
Canellaceae, 16, 17, 32, 34, 37, 288
Carex polystachya, 588
Carya, 177, 187
Casearia decandra, 439
 — *guianensis*, 437
Cassytha, 25, 27, 34, 38, 291
 — *filiformis*, 27, 291
 — *glabella*, 291
 — *pubescens*, 291
Castanea, 160, 161, 177
 — sect. *Balanocastanon*, 175, 176
 — sect. *Castanea*, 175
 — sect. *Hypocastanon*, 175
Castanopsis, 160, 161
Casuarinales, 306
Cathartolinum, 655
Catopsis berteroniana, 366
Cecropia, 42, 437
 — *peltata*, 437, 589
Celastrales, 197
Celastraceae, 589
Celtis, 523–561, 565
 — *adolphi-fridericii*, 574
 — *asperifolia*, 574
 — *australis*, 574
 — *bungeana*, 574, 581, 584
 — *caudata*, 581
 — *cinnamomea*, 574
 — *crenato-serrata*, 574
 — *harperi*, 574
 — *iguanea*, 574, 581
 — *jessoensis*, 584
 — *koraiensis*, 574
 — *kraussiana*, 574
 — *laevigata*, 574, 581, 584
 — — var. *texana*, 581
 — *latifolia*, 574
 — *lindheimeri*, 574
 — *luzonica*, 574
 — *occidentalis*, 574, 581, 584
 — — var. *crassifolia*, 581
 — *pacifica*, 574
 — *pallida*, 574, 581
 — *paniculata*, 574
 — *philippinensis*, 574–581
 — *pumila*, 584
 — *reticulata*, 574, 581, 584
 — *rigescens*, 574
 — *ritensis*, 574
 — *schippii*, 574, 581
 — *sinensis*, 574, 581
 — *Celtis soyauxii*, 574
 — *spinosa*, 581
 — *swartzii*, 574
 — *tala*, 574
 — *tenuifolia*, 574, 581
 — *tournefortii*, 584
 — *triflora*, 581
 — *trinervia*, 574, 581
 — *ugandensis*, 574
 — *wightii*, 574
 — *yunnanensis*, 574
 — *zenkeri*, 574
Centrales, 93, 99, 102, 104, 106
Cephalaralia, 235
Cephaleuros virescens, 104
Cephalozia caribbeania, 448
 — *crassifolia*, 448
 — *subforficata*, 444, 448
Cephaloziaceae, 448
Ceratocystis fagacearum, 188
Ceratolejeunea brevinervis, 443, 452
 — *cornuta*, 438, 452
 — *cubensis*, 438, 452
 — *flagelliformis*, 452
 — *maritima*, 437, 452
 — *patentissima*, 439, 452
 — *rubiginosa*, 438, 452
 — *spinosa*, 452
 — *valida*, 440
Cercidiphyllaceae, 31, 33–39, 291–293
Cercidiphyllum, 31, 32, 241, 291, 292
 — *japonicum*, 31, 32, 263
 — *magnificum*, 31
Cerothamnus ceriferus, 310
 — *inodorus*, 311
Chaetachme, 523–543, 554–558, 565
 — *aristata*, 575, 581
 — *microcarpa*, 575, 581
Chaetophorales, 97, 104
Chaetoptelea, 524, 534–538, 547, 556, 557, 565
 — *mexicana*, 575, 581
Chamaelinum, 658
Chamaesiphon, 95
 — *confervicola*, 95
 — *rostaffinskii*, 95
Chamaesiphonales, 95
Charodium obtusum, 104
 — *stipitatum*, 97
Cheilolejeunea decidua, 438, 452
 — *polyantha*, 452
Cheirodendron kauaiense, 211, 227
 — *trigynum*, 211, 227
Chestnut, 175
Chestnut blight, 177
Chimonanthus, 25
 — *fragrans*, 23
Chloranthaceae, 293, 589